

Our Warranties

New windows and doors are an investment, one which will not only look great but will add value to your property. We have such confidence in our windows and doors that we offer a manufacturers warranty on our entire product collection.



All warranties must be registered at berecowarranties.co.uk



Contemporary Entrance Door & Sliding Sash Spiral Balance | RAL 9001 Cream | 16mm Bar



Traditional Sliding Sash Spiral Balance & Flush French Doors | RAL 1013 Oyster White | 25mm Ovalo Bar



Traditional Flush Casement | Farrow & Ball Match Ringwood Ground 208

The confidence to offer our warranties comes from our commitment to certification and testing with third party UKAS accredited Bluesky Certification. They annually audit both our products and our production processes for complete peace of mind that your window and doors will stand the test of time.



Whether you are looking for a grand entrance door to your Georgian townhouse or a rustic entrance to your country cottage, with custom-made designs you can create an aesthetic which is perfectly tailored to you and your home.



Entrance Doors

Create Kerb Appeal

Traditional Flush French Door Farrow & Ball
Colour Match No.15 Bone | 16mm Bar

Design a unique statement entrance with a completely bespoke entrance door from Bereco supplied pre-hung ready for installation.

At the forefront of home security and the epitome of style, all Bereco doors include multi-point espagnolette locking and feature an ERA Fortress 3 Star Neighbourhood Watch approved cylinder for complete peace of mind. With a door leaf thicknesses (68mm) nearly an inch deeper than standard products available on the market, the reassuring solid quality feel is unparalleled.



Ud Values from
1.3W/m²K



Wind Load
800 Pa
Tested to perform
against winds of
78mph



Water Tightness
600 Pa
Tested to
withstand driving
rain at 68mph

CLASSIC ENTRANCE DOORS

Contemporary | Traditional

Choose Your Style

Design

Bespoke designs
Choice of 2 panel designs (see page 28)
Double door
Inward or outward opening

Mechanism

3 point key operated espagnolette

Hinges

SFS - Just 3D brass
4th hinge for doors over 2200mm (h)

Accessories

Thumb-turn cylinder
Keyed alike
A range of accessories in matching finishes

Bars

Contemporary: 16mm, 25mm, 35mm
(pencil round), 60mm (solid)
Traditional: 16mm (lamb's tongue),
25mm, 35mm (ovolo), 48mm (solid)
See pages 36-37 for more info

Threshold

Stormguard aluminium (mobility)
Matt aluminium/matt gold
Threshold + extension: 25mm,
47mm, 62mm, 87mm, 100mm,
114mm, 125mm, 140mm

Glazing



Double



Triple



Acoustic

Ud Range

1.3 - 1.6 W/m²K

Performs 30% better than current L1B
building regulation (double glazed)

Entrance Doors | Choose Your Style



Bereco Classic Entrance Door Features

- ✓ **Flush Design**
The door leaf sits flush with the frame externally to create a seamless finish.
- ✓ **Multi-Point Espagnolette**
3 point handle operated espagnolette: To lock the door the handle is lifted which engages the espagnolette hooks with the keepers. The cylinder is then locked with a key which engages the third locking point.
- ✓ **Robust Hinges**
Fully adjustable hinges SFS - Just 3D (stainless steel).
- ✓ **Security**
ERA Fortress 3 Star Sold Secure Diamond rated cylinder.
- ✓ **Threshold**
Stormguard aluminium + 140mm hardwood threshold.
- ✓ **Quality Handles**
Choose from a selection of Euro lever handles styles in up to 10 finishes.
- ✓ **Combining Colour**
Choose from single colour, dual colour or different colours for the door frame and door leaf.

Image Shows: Entrance Door: H4 With Cylinder Pull
Polished Chrome Victorian Letterplate + Ring Knocker

Creative Entrance Doors

Sleek & Ultra Modern

Bereco's collection of Creative Entrance Doors are minimalist in design and feature sharp lines and flush panels that provide an **ultra modern**, industrial feel.

Thermally insulated panels with fibreglass reinforcements and aluminium stabilisation layers ensure the highest levels of home security and thermal performance.

To complement these contemporary doors why not team them with our selection of Italian designer door furniture.



Ud Values from
0.99W/m²K



Wind Load
800 Pa
Tested to perform
against winds of
78mph



Water Tightness
600 Pa
Tested to
withstand driving
rain at **68mph**

CREATIVE ENTRANCE DOORS

Contemporary

Choose Your Style

Design

Choose from 10 door styles (see page 28)

Double door

Inward or outward opening

Mechanism

3 point handle operated

3 point handle + key operated

Hinges

SFS - Just 3D brass

4th hinge for doors over 2200mm (h)

Accessories

Thumb-turn cylinder

Keyed alike

A range of accessories in matching finishes

Bars

Contemporary - 16mm, 25mm, 35mm
(pencil round), 60mm (solid)

See pages 36-37 for more info

Threshold

Stormguard aluminium (mobility)

Matt aluminium/matt gold

Threshold + E-extension: 25mm,
47mm, 62mm, 87mm, 100mm,
114mm, 125mm, 140mm

Glazing



Double



Triple



Acoustic

Ud Range

0.99 W/m²K

Performs 82% better than current L1B
building regulation (double glazed)



Bereco Creative Entrance Door Features

- ✓ **Flush Design**
The door leaf sits flush with the frame to create a seamless finish.
- ✓ **Smartline Groove**
Designs are achieved with a flush insulated panel utilising smartline grooves in a variety of designs.
- ✓ **Multi-Point Espagnolette**
3 point key operated espagnolette where the latch is operated with the key. To fully lock the door the key is turned to engage the three locking points.
- ✓ **Robust Hinges**
Fully adjustable hinges SFS - Just 3D (stainless steel).
- ✓ **Security**
ERA Fortress 3 Star Solid Secure Diamond rated cylinder.
- ✓ **Threshold**
Stormguard aluminium + 140mm hardwood threshold.
- ✓ **Quality Handles & Accessories**
Choose from a selection of cylinder covers and combine with matching pull handles. (See pages 30-31)
- ✓ **Combining Colour**
Choose from single colour, dual colour or different colours for the door frame and door leaf.

Image Shows: Creative Door; C6 | Satin Stainless Round Rose Escutcheon + Pull Handle



French Doors

Elegant Design, Ultimate Performance

Our beautiful collection of French doors are perfect for **opening up your living space** and providing a connection between indoor and outdoor space.

Available in both flush and lipped designs to perfectly complement your window choice, Bereco French doors can be supplied in **single or double leaf configurations** with a variety of sidelights and fanlights.

Customise with panels and bars and a range of distinct ironmongery to achieve your desired home style.



Ud Values from
1.2W/m²K
(double glazing)



Wind Load
800 Pa
Tested to perform
against winds of
78mph



Water Tightness
600 Pa
Tested to
withstand driving
rain at **68mph**

FLUSH FRENCH DOORS

Contemporary | Traditional | Heritage

Choose Your Style

Design

Bespoke designs
Choice of 2 panel designs (See page 28)
Inward or outward opening

Mechanism

Double handle operated with handles to both lead and slave leafs.

Hinges

SFS - Just 3D brass
4th hinge for doors over 2200mm (h)

Accessories

Thumb-turn cylinder
Keyed alike

Bars

Contemporary: 16mm, 25mm, 35mm (pencil round), 60mm (solid)
Traditional: 16mm (lambs tongue), 25mm, 35mm (ovolo), 48mm (solid)
Heritage: 16mm, 25mm, 35mm (lambs tongue), 48mm (solid)
See pages 36-37 for more info

Vents

Frame head - 4300 EA

Threshold

Stormguard aluminium (mobility)

Threshold + extension: 25mm, 47mm, 62mm, 87mm, 100mm, 114mm, 125mm, 140mm

Glazing



Double



Triple



Acoustic



SlimLine*



Single*

*Only available on Heritage Range

Ud Range

1.2 - 1.6 W/m²K

Performs 40% better than current L1B building regulation (double glazed)



Bereco Flush French Door Features



Flush Design

The door leaf sits flush with the frame externally to create a seamless finish.



Multi-Point Espagnolette

3 point handle operated espagnolette with handle to lead leaf as standard. To lock the door the handle is lifted which engages the espagnolette hooks with the keepers. The cylinder is then locked with a key which engages the third locking point.



Robust Hinges

Fully adjustable hinges SFS - Just 3D (stainless steel).



Security

ERA Fortress 3 Star Solid Secure Diamond rated cylinder.



Threshold

Stormguard aluminium + 140mm hardwood threshold.



Quality Handles

Choose from a selection of Euro lever handles styles in up to 10 finishes.



Combining Colour

Choose from single colour, dual colour or different colours for the door frame and door leaf.

Image Shows: Contemporary Flush French Doors | Double Handle | Contemporary Raised Panel | 16mm Pencil Round Bars Polished Chrome Balmoral Handles | Walnut Threshold

LIPPED FRENCH DOORS

Contemporary | Traditional

Choose Your Style

Design

Bespoke designs
Choice of 2 panel designs (See page 26)
Inward or outward opening

Mechanism

Double handle operated with handles to both lead and slave leaves.

Hinges

4th hinge for doors over 2200mm (h)

Accessories

Thumb-turn cylinder
Keyed alike

Bars

Contemporary: 16mm, 25mm, 35mm (pencil round), 60mm (solid)

Traditional: 16mm (lamb's tongue), 25mm, 35mm (ovolo), 48mm (solid)

See pages 36-37 for more info

Vents

Frame head - 4300 EA

Threshold

Stormguard aluminium (mobility)

Threshold + extension: 25mm, 47mm, 62mm, 87mm, 100mm, 114mm, 125mm, 140mm

Glazing



Double Triple Acoustic

Ud Range

1.2 - 1.6 W/m²K

Performs 40% better than current L1B building regulation (double glazed)




Bereco Lipped French Door Features

- ✓ **Lipped Design**
A modern stormproof design where the door leaf lips over the outside edge of the frame.
- ✓ **Multi-Point Espagnolette**
3 point handle operated espagnolette with handle to lead leaf as standard. To lock the door the handle is lifted which engages the espagnolette hooks with the keepers. The cylinder is then locked with a key which engages the third locking point.
- ✓ **Robust Hinges**
Fully adjustable hinges SFS - Easy 3D (white, brown, silver).
- ✓ **Security**
ERA Fortress 3 Star Solid Secure Diamond rated cylinder.
- ✓ **Threshold**
Stormguard aluminium + 140mm hardwood threshold.
- ✓ **Quality Handles**
Choose from a selection of Euro lever handles styles in up to 10 finishes.
- ✓ **Combining Colour**
Choose from single colour, dual colour or different colours for the door frame and door leaf.

Image Shows: Traditional Lipped French Doors | Single Handle
16mm Lamb's Tongue Bar | Polished Chrome Balmoral Handle.


Entrance & French Door Sections




Entrance Door Details

Popular Styles

Classic Doors




Creative Doors



French Door Details

Popular Styles



Entrance & French Door Panels



Entrance & French Door Ironmongery

Handle Operated

Entrance Door | Creative Door | French Door



Balmoral Handle



Key Operated

Entrance Door | Creative Door



Cylinder Pull



Handle & Key Operated

Creative Door Only



Venice Lever



Our unique selection
of Italian designer
door furniture

Door Accessories

Door Knockers



Door Knobs



Letter Plates



Contemporary Entrance Door | 16mm Bar





Traditional Flush Casement
RAL 7030 Stone Grey

Choose Your Finish

In design it is often the subtle, finer touches that can dramatically transform the appearance of your home. The beauty of wood is that you can be adventurous in your choice of colour and accessorise to your hearts content with traditional and contemporary ironmongery styles.

Paint & Stain Finishes

Choose from RAL, BS and NCS paint finishes to find the colour that is right for you and your home. If you prefer to allow the natural character, grain and beauty of the timber shine through, choose from our range of 16 translucent stain finishes.

Dual Finish

Choose a different colour inside and out to match the finish of both the external façade and interior decor of your home.

Colour Matching

To achieve a timeless finish our colour matching service allows you to choose from the vast range of 132 Farrow & Ball finishes. Also available on dual finish.

Customised Finish

Our factory painting process allows you to select contrasting finishes to the frame and sash/leaf. Try colour matching your door frame to your window finish or go bold with your door leaf.

Ask our sales team about our exclusive paint and stain booklets containing an impressive range of timber colour swatch samples.


Choose your Finish | Choose Your Style



Traditional Flush Entrance Door Curved Head
Flush Casement | RAL 9010 Pure White

Be Bold

Be bold with colour to show your personality and create kerb appeal. Opt for a contrasting door leaf and match the door frame to your windows.



Creative Entrance Door & Sidelight
RAL 7015 Stone Grey Frosted Glazing

Go Greyscale

Grey is a colour that represents peace and balance. It is calm and safe, practical, simple and reliable. It is the perfect neutral.



Popular Pastels



Heritage Colours

